





### A TOUCHDOWN COLLABORATION SPACE

CORE Table has been designed as a flexible collaboration and meeting space suitable for both informal touchdown gatherings as well as planned communication. Sitting comfortably both in the office and home, its bold colour and fabric choices make it stand out without needing to shout its presence.

### **FORM & SPACE**

The combination of the CORE table and its accompanying Pip ottomans creates a lean-in working environment where elbows are actively encouraged on its sculpted tabletop. The generous 1.5m diameter bisected top will allow up to six people comfortably but add the extension option and you have a boardroom sized meeting table, measuring 1.5m x 2.7m with space for up to 10 people.

Designed by PLN Group in New Zealand Made in New Zealand



### Core Table







CORE Table - Extended

**Dimensions** 

Single Table – 1500Diam x 720H

Extended version -1500W x 720H x 2700L

# Additions & **Features**

CORE is available in a variety of colours and fabric combinations, making it eminently suitable for both office and home environments.

Tabletops can be supplied in either ply MDF or solid wood versions.

The CORE Pip ottomans are designed to hug the base when not in use - like pips in an apple but gently lean sitters in towards the table's core when used. (The table and Pip ottomans are available separately).

The use of SonoLayr nanofibre in the base and Ecoustic felt on the underside of the tabletop provides proven acoustic benefits. In testing (University of Auckland) these materials provide 2.4m² equivalent sound absorption area.

**Specifications** Options for tabletop material - either:

- Melteca (Melamine) 25mm MDF substrate \*
- Futura 25mm plywood substrate
- Soft-Matt HPL-25mm plywood substrate (Anti-microbial/bacterial - JIS Z 2801)

\*NOTE: Edging detail variance between MDF table top and Ply table top



## **COLOUR SWATCHES**

## **Metal Paint Colours**













White

Table Top Colours - Futura













Table Top Colours - Melteca







Seal Grey Sublim Teak

## Soft Matt HPL













Surrender

Foxy

Devious

Black Velvet

Minx

Wicked



Edging detail of MDF table top




Edging detail of Ply table top



### **ACOUSTIC REPORT**

The tests described in this report were conducted on the 11th of Februrary, 2021. The tests were performed at the request of PLN Group to determine the equivalent sound absorption area of a sample of Hush Light Round. The tests were carried out following the interrupted noise technique outlined in ISO 354: 2003 Acoustics -- Measurement of sound absorption in a reverberation room. The tests were carried out in the reverberation room of the Auckland University.



**TABLE 1:** Test room reverberation times and equivalent absorption area of Core Table.

Frequency (Hz)	T <sub>1</sub> = Empty Chamber (s)	$T_1 = $ With Sample (s)	A Third Octave (m²)
100	6.58	4.02	1.6
125	6.92	4.24	1.5
160	7.35	3.97	1.9
200	8.40	4.16	2.0
250	7.26	3.46	2.4
315	7.21	3.56	2.3
400	7.08	3.31	2.6
500	7.40	3.22	2.8
630	7.06	3.07	3.0
800	6.97	2.90	3.2
1000	6.35	2.66	3.5
1250	5.68	2.43	3.8
1600	4.90	2.25	3.9
2000	4.14	2.06	3.9
2500	3.56	1.90	4.0
3150	3.29	1.81	4.0
4000	2.88	1.68	4.0
5000	2.39	1.50	4.0

Full acoustic test report available on request.